

PRINT THIS PAGE

1500 rpm 50 Hz – cos ϕ 0,8 230V-400/230V 1800 rpm 60 Hz – cos ϕ 0,8 voltage on request

FUSTEQ KOHLER.



STANDARD EQUIPMENT

- Lifting eye
- Fully bunded fuel tank
- Integrated fuel tank
- Cooling system with electric fans controlled by Inverter
- Exhaust gas silencer
- Air filter
- Manual control panel with circuit breaker
- Distribution panel with output sockets standard up to 30 A
- 12V battery
- Soundproof canopy
- Forklift pockets

DIESEL Water Cooled

> ALTERNATORS

LERROY-SOMER
Nidec

STAMFORD


meccalte

MarelliMotori
Power generation

MODEL	KVA LTP		KVA PRP		Engine	Regulator	Cylinder	cm3	kWm 1500 rpm		kWm 1800 rpm		(l/h) 1500 rpm	Fuel saving (l)	(l/h) 1800 rpm	Fuel saving (l)	Aspiration	Standard panel	Synchronising control panel	dB(A) (+) 7 m	Tank I	AdBlue tank I	Dimensions			Kg
	50 Hz	60 Hz	50 Hz	60 Hz					Mechanical radiator	Electric radiator	Mechanical radiator	Electric radiator	Cons. 70%	In 1000 h operation	Cons. 70%	In 1000 h operation							(option)	L	W	
KL5FQ V	5,5	5	6,6	6	KDW702	M	2	686	4,8	4,9	5,7	5,8	1,4	---	1,7	---	N	AUS7310	SCP8610	54	150	NA	195	77	124	870
KL9FQ V	8,8	8	10,5	9,5	KDW1003	M	3	1028	7,5	7,6	8,9	9,0	1,9	---	2,2	---	N	AUS7310	SCP8610	54	150	NA	195	77	124	900
KL13FQ V	13,2	12	14,5	13,2	KDW1404	M	4	1372	11,3	11,4	12,1	12,2	2,4	100	2,6	100	N	AUS7310	SCP8610	54	150	NA	195	77	124	910
KL15FQ V	16,5	15	19,8	18	KDW1603	M	3	1649	13,8	13,9	16,5	16,6	3,7	100	4,4	100	N	AUS7310	SCP8610	54	150	NA	195	77	124	960
KL25FQ V	21	19	23	21	KDI1903M	M	3	1861	18,4	18,5	18,6	18,7	3,5	200	3,6	200	N	AUS7310	SCP8610	54	150	NA	195	77	124	1020
KL37FQ V	35	32	---	---	KDI1903TCR CAC	E	3	1861	31	31,2	---	---	6,7	---	---	---	T	AUS7310	SCP8610	55	240	NA	230	98	145	1530
KL50FQ V	46	42	---	---	KDI2504TCR CAC	E	4	2482	41,6	41,8	---	---	8,1	200	---	---	T	AUS7310	SCP8610	55	240	NA	230	98	145	1600
KL74FQ V	60	60	---	---	KDI3404TCR CAC	E	4	3400	53,8	54,0	---	---	10,6	---	---	---	T	AUS7310	SCP8610	55	300	NA	260	113	180	1900
KL110FQ V	110	100	---	---	KDI3404TCR SCR	E	4	3400	89,7	90,1	---	---	17,6	200	---	---	T	AUS7311	SCP8610	55	300	16	260	113	180	2080

Legend: N= natural T= turbo

> CONTROL PANEL



TECNOGEN S.p.A.

Strada per Ponte Riglio, 25
29010 Pontenure (Piacenza) Italy

P.IVA/CF 01126350337

ITALY SALES DEPARTMENT

Tel: +39 0523 512401

Fax: +39 0523 504453

E mail: italy@tecnogen.com

EXPORT DEPARTMENT

Tel: +39 0523 512440 Fax: +39 0523 504453

E mail: export@tecnogen.com