

[HOME](#)[ABOUT US](#)[PRODUCTS](#)[HYBRID](#)[FOCUS ARCHIVE](#)[NEWS ARCHIVE](#)[DOWNLOAD](#)[CONTACT](#)[English](#)

[Home](#) / [1500/1800 rpm](#) / [TENAX SERIES](#) / [TENAX-PERKINS](#)

[PRINT THIS PAGE](#)

1500 rpm 50 Hz - cos ϕ 0,8 400/230V **1800 rpm** 60 Hz - cos ϕ 0,8 voltage on request

TENAX Perkins

>SS SOUNDPROOF SERIES




STANDARD EQUIPMENT


- Robust steel base-frame
- Integrated fuel tank
- Fuel tank bunding for K version
- Exhaust gas silencer
- Battery 12V or 24V
- Control panel
- Circuit breaker
- Emergency stop button
- Soundproof canopy (SS models only) with residential silencer

DIESEL Water Cooled

>OPEN SKID SERIES



> ALTERNATORS




TENAX-PERKINS | OPEN SKID SERIES

MODEL	kVA LTP	kVA PRP	kVA LTP	kVA PRP		Regulator	Cylinder	cm3	kWm 1500 rpm	kWm 1800 rpm	(l/h) 1500 rpm	(l/h) 1800 rpm	Aspiration	Standard control panel	Optional							
	50 Hz		60 Hz		Engine						Cons. 70%	Cons. 70%					Tank I	L	W	H	Kg	
SINGLE-PHASE																						
PK10MC**	10	9	12	11	403D-11G	M	3	1131	8.4	10.3	1.8	2.2	N	AUS6110-01	AUS6110-17	ACP 0411	50	120	70	103	330	
PK14MC	14.3	13	--	--	403A-15G1	M	3	1496	12	--	2.6	--	N	AUS6110-01	AUS6110-17	ACP 0411	50	140	70	110	390	
PK15MC**	14.3	13	17	15.5	403D-15G	M	3	1496	12	14.4	2.6	3	N	AUS6110-01	AUS6110-17	ACP 0411	50	140	70	110	390	
PK17MC	16.5	15	20	18	403A-15G2	M	3	1496	13	16	2.9	3.5	N	AUS6110-01	AUS6110-17	ACP 6120	50	140	70	110	390	
PK22MC	22	20	--	--	404A-22G1	M	4	2216	18.4	--	3.8	--	N	AUS6110-01	--	ACP 6120	50	140	70	110	390	
PK23MC**	22	20	26	23	404D-22G	M	4	2216	18.4	21.7	3.7	4.3	N	AUS6110-01	--	ACP 6120	50	140	70	110	390	
PK27MC**	27.5	25	34.7	31.5	404D-22TG	E	4	2216	24.3	28.8	4.4	5.6	T	AUS6110-01	--	ACP 6120	50	150	77	125	645	
THREE-PHASE																						
PK10TC**	10	9	12	11	403D-11G	M	3	1131	8.4	10.3	1.8	2.2	N	AUS6110-01	AUS6110-14	ACP 0411	50	120	70	103	335	
PK14TC	14.3	13	--	--	403A-15G1	M	3	1496	12	--	2.5	--	N	AUS6110-01	AUS6110-15	ACP 0411	50	140	70	110	400	
PK15TC**	14.3	13	17	15.5	403D-15G	M	3	1496	12	14.4	2.5	3	N	AUS6110-01	AUS6110-15	ACP 0411	50	140	70	110	400	
PK17TC	16.5	15	19.3	17.5	403A-15G2	M	3	1496	13	16	2.9	3.5	N	AUS6110-01	AUS6110-15	ACP 0411	50	140	70	110	400	
PK22TC	22	20	--	--	404A-22G1	M	4	2216	18.4	--	3.6	--	N	AUS6110-01	AUS6110-15	ACP 0411	50	140	70	110	400	
PK23TC**	22	20	25.3	23	404D-22G	M	4	2216	18.4	21.7	3.6	4.2	N	AUS6110-01	AUS6110-15	ACP 0411	50	140	70	110	400	
PK30TC**	30	27	36	33	404D-22TG	E	4	2216	24.3	28.8	4.7	5.8	T	AUS6110-01	--	ACP 0411	50	150	77	125	650	
SINGLE-PHASE																						
PK10MK**	10	9	12	11	403D-11G	M	3	1131	8,4	10,3	1,8	2,2	N	AUS6110-02	AUS6110-17	ACP 0411	80	120	75	108	300	
PK14MK	14,3	13	--	--	403A-15G1	M	3	1496	12	--	2,6	--	N	AUS6110-02	AUS6110-17	ACP 0411	80	150	75	125	390	
PK15MK**	14,3	13	17	15,5	403D-15G	M	3	1496	12	14,4	2,6	3,0	N	AUS6110-02	AUS6110-17	ACP 0411	80	150	75	125	395	
PK17MK	16,5	15	20	18	403A-15G2	M	3	1496	13	16	2,9	3,5	N	AUS6110-02	AUS6110-17	ACP 6120	80	150	75	125	400	
PK22MK	22	20	--	--	404A-22G1	M	4	2216	18,4	--	3,8	--	N	AUS6110-02	AUS6110-17	ACP 6120	80	150	75	125	475	
PK23MK**	22	20	26	23	404D-22G	M	4	2216	18,4	21,7	3,7	4,3	N	AUS6110-02	AUS6110-17	ACP 6120	80	150	75	125	480	
PK27MK**	27,5	25	34,7	31,5	404D-22TG	E	4	2216	24,3	28,8	4,4	5,6	T	AUS6110-02	--	ACP 6120	120	170	95	140	700	
THREE- PHASE																	THREE- PHASE					
PK10TK**	10	9	12	11	403D-11G	M	3	1131	8,4	10,3	1,8	2,2	N	AUS6110-02	AUS6110-14	ACP 0411	80	120	75	108	305	
PK14TK	14,3	13	--	--	403A-15G1	M	3	1496	12	--	2,5	--	N	AUS6110-02	AUS6110-15	ACP 0411	80	150	75	125	400	
PK15TK**	14,3	13	17	15,5	403D-15G	M	3	1496	12	14,4	2,5	3,0	N	AUS6110-02	AUS6110-15	ACP 0411	80	150	75	125	410	
PK17TK	16,5	15	19,3	17,5	403A-15G2	M	3	1496	13	16	2,9	3,5	N	AUS6110-02	AUS6110-15	ACP 0411	80	150	75	125	420	
PK22TK	22	20	--	--	404A-22G1	M	4	2216	18,4	--	3,6	--	N	AUS6110-02	AUS6110-15	ACP 0411	80	150	75	125	480	
PK23TK**	22	20	25,3	23	404D-22G	M	4	2216	18,4	21,7	3,6	4,2	N	AUS6110-02	AUS6110-15	ACP 0411	80	150	75	125	485	
PK30TK**	30	27	36	33	404D-22TG	E	4	2216	24,3	28,8	4,7	5,8	T	AUS6110-02	--	ACP 0411	120	170	95	140	700	
PK36TK	33	30	40	36	1103A-33G	M	3	3300	27,7	32,2	4,8	6,1	N	AUS6110-02	--	ACP 0411	120	170	95	140	720	
PK36TK*	33	30	--	--	1103C-33G3	M	3	3300	27,3	--	5,7	--	N	AUS6110-02	--	ACP 0411	120	170	95	140	730	

	50	45	58,9	53,5	1103A-33TG1	M	3	3300	41,3	48,9	7,4	T	AUS6110-02	--	ACP 6120	120	188	100	145	810
PK51TK*	50	45	--	--	1103C-33TG3	M	3	3300	40,9	--	7,4	T	AUS6110-02	--	ACP 6120	120	188	100	145	810
PK71TK	66	60	75	69	1103A-33TG2	M	3	3300	53,8	61,2	9,3	T	AUS6110-02	--	ACP 6120	120	188	100	145	860
PK72TK	72	65	83	75	1104A-44TG1	M	4	4400	58,4	68,6	10,0	T	AUS6110-02	--	ACP 6120	120	188	100	145	930
PK72TK*	66	60	--	--	1104C-44TG3	M	4	4410	53	--	9,4	T	AUS6110-02	--	ACP 6120	120	188	100	145	935
PK90TK	88	80	97	88	1104A-44TG2	M	4	4400	71,9	82	12,4	T	AUS6110-02	--	ACP 6120	200	210	110	145	970
PK90TK*	88	80	97	88	1104C-44TAG1	E	4	4410	71,5	80,4	12,7	T	AUS6110-02	--	ACP 6120	200	210	110	145	970
PK111TK*	110	100	127	115	1104C-44TAG2	E	4	4410	90,1	101,7	15,2	T	AUS6110-02	--	ACP 6120	200	210	110	145	1125
PK152TK	150	135	168	153	1106A-70TG1	M	6	7010	118,7	133,5	20	T	AUS6110-02	--	ACP 6120	200	250	113	160	1420
PK167TK	165	150	186	169	1106A-70TAG2	M	6	7010	131	147,4	21,7	T	AUS6110-02	--	ACP 6120	200	250	113	160	1600
PK202TV	200	180	220	200	1106A-70TAG3	M	6	7010	157,7	172,5	27,6	T	AUS 7310	--	ACP 7320	220	240	85	150	1770
PK221TV	220	200	--	--	1106A-70TAG4	E	6	7010	173,9	--	31,2	T	AUS 7310	--	ACP 7320	250	232	77	170	2000
PK222TV	220	200	275	250	1506A-E88TAG1	E	6	8800	180	216	28,9	T	AUS 7310	--	ACP 7320	250	247	110	180	2050
PK252TV	259	235	275	250	1506A-E88TAG2	E	6	8800	201	216	32,9	T	AUS 7310	--	ACP 7320	265	250	105	170	2100
PK277TV	275	250	317	289	1506A-E88TAG3	E	6	8800	228	257	35,9	T	AUS 7310	--	ACP 7320	290	268	105	190	2160
PK302TV	300	280	358	325	1506A-E88TAG4	E	6	8800	250	279	40,3	T	AUS 7310	--	ACP 7320	350	275	110	190	2260
PK332TV	330	300	403	366	1506A-E88TAG5	E	6	8800	273	312	41,7	T	AUS 7310	--	ACP 7320	350	275	110	190	2410
PK402TV*	400	350	440	400	2206C-E13TAG2	E	6	12500	305	349	53,8	T	AUS 7310	--	ACP 7320	430	305	113	230	3060
PK452TV*	450	410	440	400	2206C-E13TAG3	E	6	12500	349	349	61,2	T	AUS 7310	--	ACP 7320	490	305	113	230	3160
PK502TV*	500	455	550	500	2506C-E15TAG1	E	6	15000	396	435	68,6	T	AUS 7310	--	ACP 7320	550	330	113	231	3660
PK552TV*	550	500	560	510	2506C-E15TAG2	E	6	15000	435	435	76,1	T	AUS 7310	--	ACP 7320	610	334	113	236	3660
PK660TV	660	600	687	625	2806A-E18TAG1A	E	6	18100	522	543	84,3	T	AUS 7310	--	ACP 7320	675	332	154	238	4200
PK702TV	715	660	687	625	2806A-E18TAG2	E	6	18100	565	543	92,9	T	AUS 7310	--	ACP 7320	750	332	154	238	4300
PK770TV	770	700	900	816	2806A-E18TTAG4	E	6	18100	596	693	96,3	T	AUS 7310	---	ACP 7320	950	340	170	228	5600
PK825TV	825	750	900	816	2806A-E18TTAG5	E	6	18100	646	693	102,5	T	AUS 7310	---	ACP 7320	950	340	170	228	5800
PK850TV	845	765	900	816	2806A-E18TTAG5	E	6	18100	646	693	104,8	T	AUS 7310	---	ACP 7320	950	340	170	228	5820
PK901TV	880	800	940	845	4006-23TAG3A	E	6	22921	679	715	119	T	AUS 7310	--	ACP 7320	950	380	171	238	6000
PK1001TV	1000	910	968	880	4008TAG1A/1	E	8	30561	767	744	128,3	T	AUS 7310	--	ACP 7320	1100	460	206	251	7840
PK1100TV	1100	1000	1100	1000	4008-TAG2A/2	E	8	30561	861	838	142,2	T	AUS 7310	--	ACP 7320	1100	472	207	254	7940
PK1250TV	1250	1125	--	--	4008-30TAG3	E	8	30561	947	--	159,8	T	AUS 7310	--	ACP 7320	1300	445	220	226	9250
PK1401TV	1375	1250	1375	1250	4012-46TWG2A	E	12	45842	1055	1055	189.8	T	AUS 7310	--	ACP 7320	1600	467	178	248	9600
PK1500TV	1500	1350	1507	1370	4012-46TAG1A	E	12	45842	1148	1153	184.9	T	AUS 7310	--	ACP 7320	1600	480	220	250	10970
PK1501TV	1500	1350	1500	1365	4012-46TWG3A	E	12	45842	1149	1149	202	T	AUS 7310	--	ACP 7320	1600	460	200	245	11000
PK1650TV	1650	1500	1600	1500	4012-46TWG4A	E	12	45842	1254	1254	225	T	AUS 7310	--	ACP 7320	1800	460	200	245	11100
PK1701TV	1650	1500	1675	1500	4012-46TAG2A	E	12	45842	1267	--	211.3	T	AUS 7310	--	ACP 7320	1800	515	225	236	11200
PK1901TV	1880	1710	1880	1710	4012-46TAG3A	E	12	45842	1440	1440	246	T	AUS 7310	--	ACP 7320	2000	524	216	265	12500
PK2000TV	2025	1840	--	--	4016-TAG1A	E	16	61123	1537	--	254.6	T	AUS 7310	--	ACP 7320	2000	551	280	365	13900
PK2001TV	2045	1860	--	--	4016-61TRG1	E	16	61123	1558	--	271.6	T	AUS 7310	--	ACP 7320	2200	555	220	330	14000
PK2251TV	2250	2000	--	--	4016-61TRG2	E	16	61123	1684	--	288	T	AUS 7310	--	ACP 7320	2300	580	215	256	14900
PK2500TV	2500	2250	--	--	4016-61TRG3	E	16	61123	1875	--	312.5	T	AUS 7310	--	ACP 7320	2500	600	215	256	15200

Edit Table

Legend: N= natural T= turbo (•) = Noise level compliant with European regulation 2000/14/CE for SS Models only



TENAX-PERKINS | SS SOUNDPROOF SERIES

MODEL	KVA LTP	KVA PRP	KVA LTP	KVA PRP		Regulator	Cylinder	cm3	kWm 1500 rpm	kWm 1800 rpm	(l/h) 1500 rpm	(l/h) 1800 rpm	Aspiration	Standard panel	Optional		dB(A) (+) 7 m					
	50 Hz		60 Hz		Engine						Cons. 70%	Cons. 70%						Tank l	L	W	H	Kg
SINGLE- PHASE																						
PK7MC SS**	6.2	5.6	7.5	6.8	403D-7G	M	3	761	5.4	6.6	1.7	2	N	AUS6110-01	AUS6110-13	ACP 0411	65	40	115	70	85	300
PK10MC SS**	10	9	12	11	403D-11G	M	3	1131	8.4	10.3	1.8	2.2	N	AUS6110-01	AUS6110-17	ACP 0411	65	50	105	79	106	450
PK14MC SS	14.3	13	--	--	403A-15G1	M	3	1496	12	--	2.6	--	N	AUS6110-01	AUS6110-17	ACP 0411	65	50	175	76	106	510
PK15MC SS**	14.3	13	17	15.5	403D-15G	M	3	1496	12	14.4	2.6	3	N	AUS6110-01	AUS6110-17	ACP 0411	65	50	175	76	106	510
PK17MC SS	16.5	15	20	18	403A-15G2	M	3	1496	13	16	2.9	3.5	N	AUS6110-01	AUS6110-17	ACP 6120	65	50	175	76	106	510
PK22MC SS	22	20	--	--	404A-22G1	M	4	2216	18.4	--	3.8	--	N	AUS6110-01	--	ACP 6120	65	50	175	76	106	510
PK23MC SS**	22	20	26	23	404D-22G	M	4	2216	18.4	21.7	3.7	4.3	N	AUS6110-01	--	ACP 6120	65	50	175	76	106	510
PK27MC SS**	27.5	25	34.7	31.5	404D-22TG	E	4	2216	24.3	28.8	4.4	5.6	T	AUS6110-01	--	ACP 6120	67	70	205	105	128	945
THREE- PHASE																						
PK10TC SS**	10	9	12	11	403D-11G	M	3	1131	8.4	10.3	1.8	2.2	N	AUS6110-01	AUS6110-14	ACP 0411	65	50	105	79	106	460
PK14TC SS	14.3	13	--	--	403A-15G1	M	3	1496	12	--	2.5	--	N	AUS6110-01	AUS6110-15	ACP 0411	65	50	175	76	106	520
PK15TC SS**	14.3	13	17	15.5	403D-15G	M	3	1496	12	14.4	2.5	3	N	AUS6110-01	AUS6110-15	ACP 0411	65	50	175	76	106	520
PK17TC SS	16.5	15	19.3	17.5	403A-15G2	M	3	1496	13	16	2.9	3.5	N	AUS6110-01	AUS6110-15	ACP 0411	65	50	175	76	106	520
PK22TC SS	22	20	--	--	404A-22G1	M	4	2216	18.4	--	3.6	--	N	AUS6110-01	AUS6110-15	ACP 0411	65	50	175	76	106	520
PK23TC SS**	22	20	25.3	23	404D-22G	M	4	2216	18.4	21.7	3.6	4.2	N	AUS6110-01	AUS6110-15	ACP 0411	65	50	175	76	106	520
PK30TC SS**	30	27	36	33	404D-22TG	E	4	2216	24.3	28.8	4.7	5.8	T	AUS6110-01	--	ACP 0411	70	205	105	128	950	950
SINGLE- PHASE																						
PK10MKSS**	10	9	12	11	403D-11G	M	3	1131	8,4	10,3	1,8	2,2	N	AUS6110-02	AUS6110-17	ACP 0411	65	80	145	75	120	450
PK14MKSS	14,3	13	--	--	403A-15G1	M	3	1496	12	--	2.6	--	N	AUS6110-02	AUS6110-17	ACP 0411	65	80	175	75	140	520
PK15MKSS**	14,3	13	17	15,5	403D-15G	M	3	1496	12	14,4	2,6	3,0	N	AUS6110-02	AUS6110-17	ACP 0411	65	80	175	75	140	525
PK17MKSS	16,5	15	20	18	403A-15G2	M	3	1496	13	16	2,9	3,5	N	AUS6110-02	AUS6110-17	ACP 6120	65	80	175	75	140	530
PK22MKSS	22	20	--	--	404A-22G1	M	4	2216	18,4	--	3,8	--	N	AUS6110-02	AUS6110-17	ACP 6120	65	80	175	75	140	590
PK23MKSS**	22	20	26	23	404D-22G	M	4	2216	18,4	21,7	3,7	4,3	N	AUS6110-02	AUS6110-17	ACP 6120	65	80	175	75	140	595
PK27MKSS**	27,5	25	34,7	31,5	404D-22TG	E	4	2216	24,3	28,8	4,4	5,6	T	AUS6110-02	--	ACP 6120	67	120	200	95	150	850
THREE- PHASE																	THREE- PHASE					
PK10TKSS**	10	9	12	11	403D-11G	M	3	1131	8,4	10,3	1.8	2.2	N	AUS6110-02	AUS6110-14	ACP 0411	65	80	145	75	120	460
PK14TKSS	14,3	13	--	--	403A-15G1	M	3	1496	12	--	2,5	--	N	AUS6110-02	AUS6110-15	ACP 0411	65	80	175	75	140	530
PK15TKSS**	14,3	13	17	15,5	403D-15G	M	3	1496	12	14,4	2,5	3,0	N	AUS6110-02	AUS6110-15	ACP 0411	65	80	175	75	140	535
PK17TKSS	16,5	15	19,3	17,5	403A-15G2	M	3	1496	13	16	2,9	3,5	N	AUS6110-02	AUS6110-15	ACP 0411	65	80	175	75	140	545
PK22TKSS	22	20	--	--	404A-22G1	M	4	2216	18,4	--	3,6	--	N	AUS6110-02	AUS6110-15	ACP 0411	67	80	175	75	140	570
PK23TKSS**	22	20	25,3	23	404D-22G	M	4	2216	18,4	21,7	3,6	4,2	N	AUS6110-02	AUS6110-15	ACP 0411	67	80	175	75	140	575
PK30TKSS**	30	27	36	33	404D-22TG	E	4	2216	24,3	28,8	4,7	5,8	T	AUS6110-02	--	ACP 0411	67	120	200	95	150	850
PK36TKSS	33	30	40	36	1103A-33G	M	3	3300	27,7	32,2	4,8	6,1	N	AUS6110-02	--	ACP 0411	67	120	200	95	150	965
PK36TKSS*	33	30	--	--	1103C-33G3	M	3	3300	27,3	--	5,7	--	N	AUS6110-02	--	ACP 0411	67	120	200	95	150	965
PK51TKSS	50	45	58,9	53,5	1103A-33TG1	M	3	3300	41,3	48,9	7,4	8,7	T	AUS6110-02	--	ACP 6120	67	120	228	100	160	1070
PK51TKSS*	50	45	--	--	1103C-33TG3	M	3	3300	40,9	--	7,4	--	T	AUS6110-02	--	ACP 6120	67	120	228	100	160	1070
PK71TKSS	66	60	75	69	1103A-33TG2	M	3	3300	53,8	61,2	9,3	11,0	T	AUS6110-02	--	ACP 6120	67	120	228	100	160	1090
PK72TKSS	72	65	83	75	1104A-44TG1	M	4	4400	58,4	68,6	10,0	11,8	T	AUS6110-02	--	ACP 6120	67	120	228	100	160	1190
PK72TKSS*	66	60	--	--	1104C-44TG3	M	4	4410	53	--	9,4	--	T	AUS6110-02	--	ACP 6120	67	120	228	100	160	1190
PK90TKSS	88	80	97	88	1104A-44TG2	M	4	4400	71,9	82	12,4	14,3	T	AUS6110-02	--	ACP 6120	67	200	255	110	170	1250
PK90TKSS*	88	80	97	88	1104C-44TAG1	E	4	4410	71,5	80,4	12,7	14,8	T	AUS6110-02	--	ACP 6120	67	200	255	110	170	1300
PK111TKSS*	110	100	127	115	1104C-44TAG2	E	4	4410	90,1	101,7	15,2	18,2	T	AUS6110-02	--	ACP 6120	68	200	255	110	170	1460
PK152TKSS	150	135	168	153	1106A-70TG1	M	6	7010	118,7	133,5	20	22,9	T	AUS6110-02	--	ACP 6120	68	200	300	113	185	1870
PK167TKSS	165	150	186	169	1106A-70TAG2	M	6	7010	131	147,4	21,7	25,5	T	AUS6110-02	--	ACP 6120	68	200	300	113	185	1900
PK202TVSS	200	180	220	200	1106A-70TAG3	M	6	7010	157,7	172,5	27,6	31,6	T	AUS 7310	--	ACP 7320	68	300	363	123	201	2470
PK221TVSS	220	200	--	--	1106A-70TAG4	E	6	7010	173,9	--	31,2	--	T	AUS 7310	--	ACP 7320	68	250	300	130	165	2560




PK222TVSS	220	200	275	250	1506A-E88TAG1	E	6	8800	180	216	28,9	36,6	T	AUS 7310	--	ACP 7320	68	300	363	113	201	2700
PK252TVSS	259	235	275	250	1506A-E88TAG2	E	6	8800	201	216	32,9	36,5	T	AUS 7310	--	ACP 7320	68	300	363	113	201	2750
PK277TVSS	275	250	317	289	1506A-E88TAG3	E	6	8800	228	257	35,9	41,5	T	AUS 7310	--	ACP 7320	68	310	383	113	201	2750
PK302TVSS	300	280	358	325	1506A-E88TAG4	E	6	8800	250	279	40,3	46,2	T	AUS 7310	--	ACP 7320	68	320	383	123	201	2900
PK332TVSS	330	300	403	366	1506A-E88TAG5	E	6	8800	273	312	41,7	51,6	T	AUS 7310	--	ACP 7320	68	335	383	123	201	3150
PK402TVSS*	400	350	440	400	2206C-E13TAG2	E	6	12500	305	349	53,8	60,0	T	AUS 7310	--	ACP 7320	68	550	425	200	213	4120
PK452TVSS*	450	410	440	400	2206C-E13TAG3	E	6	12500	349	349	61,2	60,0	T	AUS 7310	--	ACP 7320	68	550	425	200	213	4360
PK502TVSS*	500	455	550	500	2506C-E15TAG1	E	6	15000	396	435	68,6	72,6	T	AUS 7310	--	ACP 7320	69	600	485	200	220	4940
PK552TVSS*	550	500	560	510	2506C-E15TAG2	E	6	15000	435	435	76,1	74,1	T	AUS 7310	--	ACP 7320	69	600	485	200	220	4960
PK660TVSS	660	600	687	625	2806A-E18TAG1A	E	6	18100	522	543	84,3	89,1	T	AUS 7310	--	ACP 7320	70	670	485	200	220	5580
PK702TVSS	715	660	687	625	2806A-E18TAG2	E	6	18100	565	543	92,9	89,1	T	AUS 7310	--	ACP 7320	70	750	485	200	230	5660
PK770TV SS	770	700	900	816	2806A-E18TAG4	E	6	18100	596	693	96,3	114,9	T	AUS 7310	---	ACP 7320	75	950	555	220	230	6910
PK825TV SS	825	750	900	816	2806A-E18TAG5	E	6	18100	646	693	102,5	114,9	T	AUS 7310	---	ACP 7320	75	950	555	220	230	7110
PK850TV SS	845	765	900	816	2806A-E18TAG5	E	6	18100	646	693	104,8	114,9	T	AUS 7310	---	ACP 7320	75	950	555	220	230	7130
PK901TVSS	880	800	940	845	4006-23TAG3A	E	6	22921	679	715	119	128	T	AUS 7310	--	ACP 7320	75	950	555	220	230	7310
PK1001TVSC	1000	910	968	880	4008TAG1A/1	E	8	30561	767	744	128,3	129,9	T	AUS 7310	--	ACP 7320	75	1100	Container 20' HC			11900
PK1100TVSC	1100	1000	1100	1000	4008-TAG2A/2	E	8	30561	861	838	142,2	145	T	AUS 7310	--	ACP 7320	75	1100	Container 20' HC			12000
PK1250TVSC	1250	1125	--	--	4008-30TAG3	E	8	30561	947	--	159,8	--	T	AUS 7310	--	ACP 7320	75	1300	Container 20' HC			13000
PK1401TVSC	1375	1250	1375	1250	4012-46TWG2A	E	12	45842	1055	1055	189,8	189,8	T	AUS 7310	--	ACP 7320	75	1600	Container 40' HC			16300
PK1500TVSC	1500	1350	1507	1370	4012-46TAG1A	E	12	45842	1148	1153	184,9	172,8	T	AUS 7310	--	ACP 7320	75	1600	Container 40' HC			16500
PK1501TVSC	1500	1350	1500	1365	4012-46TWG3A	E	12	45842	1149	1149	202	206,8	T	AUS 7310	--	ACP 7320	75	1600	Container 40' HC			16990
PK1650TVSC	1650	1500	1600	1500	4012-46TWG4A	E	12	45842	1254	1254	225	232,3	T	AUS 7310	--	ACP 7320	75	1800	Container 40' HC			17100
PK1701TVSC	1650	1500	1675	1500	4012-46TAG2A	E	12	45842	1267	--	211,3	--	T	AUS 7310	--	ACP 7320	75	1800	Container 40' HC			17200
PK1901TVSC	1880	1710	1880	1710	4012-46TAG3A	E	12	45842	1440	1440	246	213	T	AUS 7310	--	ACP 7320	75	2000	Container 40' HC			17500
PK2000TVSC	2025	1840	--	--	4016-TAG1A	E	16	61123	1537	--	254,6	--	T	AUS 7310	--	ACP 7320	75	2000	Container 40' HC			22650
PK2001TVSC	2045	1860	--	--	4016-61TRG1	E	16	61123	1558	--	271,6	--	T	AUS 7310	--	ACP 7320	75	2200	Container 40' HC			22800
PK2251TVSC	2250	2000	--	--	4016-61TRG2	E	16	61123	1684	--	288	--	T	AUS 7310	--	ACP 7320	75	2300	Container 40' HC			22950
PK2500TVSC	2500	2250	--	--	4016-61TRG3	E	16	61123	1875	--	312,5	--	T	AUS 7310	--	ACP 7320	75	2500	Container 40' HC			23070

Edit Table

Legend: N= natural T= turbo (•) = Noise level compliant with European regulation 2000/14/CE for SS Models only

HOT GALVANIZED STEEL SOUNDPROOF CANOPY

> CONTROL PANEL



ACP 7000 AMF


ACP 7320 ATS



ACP 7320 STS



ACP 7320 AMF



TECNOGEN S.p.A.

Strada per Ponte Riglio, 25
29010 Pontenure (Piacenza) Italy

P.IVA/CF 01126350337

ITALY SALES DEPARTMENT

Tel: +39 0523 512401

Fax: +39 0523 504453

E mail: italy@tecnogen.com

EXPORT DEPARTMENT

Tel: +39 0523 512440 Fax: +39 0523 504453

E mail: export@tecnogen.com