



HOME

ABOUT US

PRODUCTS

HYBRID

FOCUS ARCHIVE

NEWS ARCHIVE

DOWNLOAD

CONTACT

English



Home / 1500/1800 rpm / TENAX SERIES / TENAX-SCANIA

PRINT THIS PAGE

1500 rpm 50 Hz - cos ϕ 0,8 400/230V 1800 rpm 60 Hz - cos ϕ 0,8 voltage on request



>SS SOUNDPROOF SERIES



>OPEN SKID SERIES




STANDARD EQUIPMENT

- Robust steel base-frame
- Integrated fuel tank
- Fuel tank bunding for K version
- Exhaust gas silencer
- Battery 12V or 24V
- Control panel
- Circuit breaker
- Emergency stop button
- Soundproof canopy (SS models only) with residential silencer

DIESEL Water Cooled

> ALTERNATORS




TENAX-SCANIA | OPEN SKID SERIES

MODEL	kVA LTP	kVA PRP	kVA LTP	kVA PRP		Regulator	Cylinder	cm3	kWm 1500 rpm	kWm 1800 rpm	(l/h) 1500 rpm	(l/h) 1800 rpm	Aspiration	Standard panel	Automatic panel					
	50 Hz		60 Hz		Engine						Cons. 70%	Cons. 70%				Tank l	L	W	H	Kg
THREE- PHASE																				
SA300TV	300	275	335	305	DC09 072A 02 12	E	5	9300	242	263	37	43	T	AUS7310	ACP 7320	350	278	110	193	3000
SA330TV	330	300	360	325	DC09 072A 02 13	E	5	9300	261	282	40.4	45.9	T	AUS7310	ACP 7320	350	278	110	193	3000
SA365TV	358	325	402	365	DC09 072A 02 14	E	5	9300	283	315	46.8	54.8	T	AUS7310	ACP 7320	350	278	110	193	3080
SA400TV	400	365	462	420	DC13 072A 02 11	E	6	12700	320	362	47.6	55.9	T	AUS7310	ACP 7320	400	315	112	193	3100

SA450TV	450	410	505	460	DC13 072A 02 12	E	6	12700	355	393	53,6	61,3	T	AUS7310	ACP 7320	430	315	112	193	3320
SA500TV	500	455	550	500	DC13 072A 02 13	E	6	12700	393	428	59,2	66,6	T	AUS7310	ACP 7320	500	315	112	193	3320
SA550TV	550	500	550	500	DC13 072A 02 14	E	6	12700	428	428	64,7	66,6	T	AUS7310	ACP 7320	520	315	112	193	3450
SA600TV	600	550	610	550	DC16 093A 02 52	E	90°V8	16400	473	468	73,9	78,0	T	AUS7310	ACP 7320	600	332	154	232	3580
SA660TV	660	600	725	655	DC16 093A 02 54	E	90°V8	16400	545	555	85,9	98,5	T	AUS7310	ACP 7320	650	332	154	232	3670
SA710TV	706	640	725	655	DC16 093A 02 54	E	90°V8	16400	545	555	91,8	98,5	T	AUS7310	ACP 7320	700	332	154	232	3770
SA725TV	715	650	720	650	DC16 078A 02 42	E	90°V8	16400	553	553	92,7	96,6	T	AUS7310	ACP 7320	700	320	138	221	3770
SA770TV	770	700	770	700	DC16 078A 02 43	E	90°V8	16400	596	597	93,8	105,0	T	AUS7310	ACP 7320	750	320	138	221	3980

Edit Table

Legend: N= natural T= turbo (•) = Noise level compliant with European regulation 2000/14/CE for SS Models only



TENAX-SCANIA | SS SOUNDPROOF SERIES

MODEL	kVA LTP	kVA PRP	kVA LTP	kVA PRP		Regulator	Cylinder	cm3	kWm 1500 rpm	kWm 1800 rpm	(l/h) 1500 rpm	(l/h) 1800 rpm	Aspiration	Standard panel	Automatic panel	dB(A) (+) 7 m					
	50 Hz		60 Hz		Engine						Cons. 70%	Cons. 70%					Tank I	L	W	H	Kg
THREE- PHASE																					
SA275TVSS	275	250	308	280	DC09 072A 02 11	E	5	9300	220	241	34	39,7	T	AUS7310	ACP 7320	68	350	383	123	201	3740
SA300TVSS	300	275	335	305	DC09 072A 02 12	E	5	9300	242	263	37	43	T	AUS7310	ACP 7320	68	350	383	123	201	3800
SA330TVSS	330	300	360	325	DC09 072A 02 13	E	5	9300	261	282	40.4	45.9	T	AUS7310	ACP 7320	68	350	383	123	201	3800
SA365TVSS	358	325	402	365	DC09 072A 02 14	E	5	9300	283	315	46,8	54,8	T	AUS7310	ACP 7320	68	550	425	200	213	3900
SA400TVSS	400	365	462	420	DC13 072A 02 11	E	6	12700	320	362	47.6	55.9	T	AUS7310	ACP 7320	68	550	425	200	213	4200
SA450TVSS	450	410	505	460	DC13 072A 02 12	E	6	12700	355	393	53.6	61.3	T	AUS7310	ACP 7320	68	550	425	200	213	4320
SA500TVSS	500	455	550	500	DC13 072A 02 13	E	6	12700	393	428	59.2	66.6	T	AUS7310	ACP 7320	68	550	425	200	213	4320
SA550TVSS	550	500	550	500	DC13 072A 02 14	E	6	12700	428	428	64.7	66.6	T	AUS7310	ACP 7320	68	550	425	200	213	4450
SA600TVSS	600	550	610	550	DC16 093A 02 52	E	90° V8	16400	473	468	73,9	78	T	AUS7310	ACP 7320	70	670	485	200	230	4900
SA710TVSS	706	640	725	655	DC16 093A 02 54	E	90°V8	16400	545	555	91,8	98,5	T	AUS7310	ACP 7320	70	700	485	200	230	5090
SA660TVSS	660	600	725	655	DC16 093A 02 54	E	90°V8	16400	545	555	85,9	98,5	T	AUS7310	ACP 7320	70	670	485	200	230	4990
SA725TVSS	715	650	720	650	DC16 078A 02 42	E	90° V8	16400	553	553	92,7	96,6	T	AUS7310	ACP 7320	70	700	485	200	230	5090
SA770TVSS	770	700	770	700	DC16 078A 02 43	E	90° V8	16400	596	597	93,8	105,0	T	AUS7310	ACP 7320	70	750	485	200	230	5300

Edit Table

Legend: N= natural T= turbo (•) = Noise level compliant with European regulation 2000/14/CE for SS Models only




HOT GALVANIZED STEEL SOUNDPROOF CANOPY

> CONTROL PANEL


ACP 7320 ATS




ACP 6120 STS



ACP 7320 AMF



AUS 7310



TECNOGEN S.p.A.

Strada per Ponte Riglio, 25
29010 Pontenure (Piacenza) Italy

P.IVA/CF 01126350337

ITALY SALES DEPARTMENT

Tel: +39 0523 512401

Fax: +39 0523 504453

E mail: italy@tecnogen.com

EXPORT DEPARTMENT

Tel: +39 0523 512440 Fax: +39 0523 504453

E mail: export@tecnogen.com